

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S9 | 6 | calipers WITH interpolat\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 21:08 |
| S15 | 7 | multiple WITH calipers WITH measurements | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 21:12 |
| S18 | 134 | calipers WITH combination | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 21:13 |
| S19 | 10 | calipers WITH set near3 measurements | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 21:14 |
| S21 | 16 | calipers SAME set near3 measurements | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 21:15 |
| S22 | 6 | calipers SAME set near3 measurements NOT S19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 21:16 |
| S25 | 21 | (multiple or several) adj calipers NOT S19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 22:05 |
| S27 | 12 | reference adj line WITH tolerance near3 range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 00:06 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S28 | 2 | image same reference adj line WITH tolerance near3 range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 00:07 |
| S29 | 12 | reference adj line WITH tolerance near3 range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 00:11 |
| S30 | 45 | image WITH reference WITH tolerance near3 range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 00:12 |
| S33 | 81 | white adj light AND (382/141). ccls. AND inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 01:00 |
| S34 | 3 | white adj light AND (382/141). ccls. AND gray-scale | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 01:02 |
| S37 | 11 | white adj light WITH resolution SAME inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 01:04 |
| S39 | 68 | white adj light WITH resolution AND inspection AND manufactur\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 01:07 |
| S46 | 32 | white adj light WITH inspect\$3 AND (382/141).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 01:14 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S47 | 43 | white adj light SAME inspect\$3 AND (382/141).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/13 01:15 |
| S48 | 22 | white adj light SAME inspect\$3 SAME defect AND (382/141).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 01:16 |
| S49 | 55 | white adj light AND inspect\$3 SAME defect AND (382/141).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 01:45 |
| S50 | 2 | (382/141).ccls. AND (internet or intranet) WITH connection WITH analysis | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 01:47 |
| S51 | 5 | (382/141).ccls. AND (internet or intranet) WITH connection WITH image | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 01:53 |
| S58 | 27 | processing adj unit near2 within near2 sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:07 |
| S61 | 27 | processing adj unit near2 within near2 sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:09 |
| S62 | 10 | processing adj unit near2 within near2 camera | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:10 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S63 | 36 | processing adj unit near2 in near2 (camera or sensor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:10 |
| S64 | 3 | processing adj unit near2 in near2 (camera or sensor) AND inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:11 |
| S65 | 12 | processing adj unit near2 in near2 (camera or sensor) AND manufact\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:12 |
| S68 | 3 | (computer or processing) near3 (within or inside or in) adj (camera or sensor) AND (382/141).cls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:17 |
| S69 | 67 | (computer or processing) near3 (within or inside or in) adj (camera or sensor) AND "382".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:18 |
| S70 | 9 | (computer or processing) near3 (within or inside or in) adj (camera or sensor) AND inspection SAME manufactur\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:19 |
| S72 | 39 | (computer or processing) near3 (within or inside or in) adj (camera or sensor) AND inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:35 |
| S73 | 20 | (computer or processing) near3 (within or inside or in) adj camera AND inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:36 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S74 | 51 | (computer or process\$3) near3 (within or inside or in) adj camera AND inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:36 |
| S75 | 7 | (computer or process\$3) near3 (within or inside or in) adj camera AND inspection WITH manufact\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:38 |
| S76 | 11 | (computer or process\$3) near3 (within or inside or in) adj camera AND inspection SAME manufact\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:38 |
| S77 | 35 | (computer or process\$3) near3 (within or inside or in) adj camera AND inspection AND manufact\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:39 |
| S78 | 28 | (computer or process\$3) near3 (within or inside or in) adj camera AND inspection AND manufact\$5 NOT S75 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:38 |
| S79 | 37 | (computer or process\$3) near3 (within or inside) adj camera AND inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:39 |
| S81 | 79 | (computer or process\$3) near3 (within or inside) adj camera AND "382".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 02:40 |
| S82 | 5 | (computer or process\$3) near3 (within or inside) adj camera AND (382/141).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 03:05 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S84 | 8 | (3-D or 3D or three-dimension\$3 or three adj dimension\$4) adj display AND (382/141).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 03:27 |
| S85 | 449 | (3-D or 3D or three-dimension\$3 or three adj dimension\$4) adj display AND "382".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 03:27 |
| S87 | 69 | (3-D or 3D or three-dimension\$3 or three adj dimension\$4) adj display AND "382".clas. AND manufacturing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 03:28 |
| S88 | 7 | (3-D or 3D or three-dimension\$3 or three adj dimension\$4) adj display AND "382".clas. AND manufacturing SAME inspection | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 03:54 |
| S89 | 9 | reference adj line WITH tolerance adj range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 03:56 |
| S90 | 14 | reference adj line WITH tolerance near3 range | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 03:59 |
| S91 | 5 | reference adj line WITH tolerance near3 range NOT S89 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 04:00 |
| S99 | 100 | reference WITH (tolerance near3 area) NOT S89 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 04:04 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S10 0 | 3 | inspection adj area AND reference WITH (tolerance near3 area) NOT S89 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 04:05 |
| S10 1 | 137 | reference adj line WITH (tolerance) NOT S89 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 04:06 |
| S10 2 | 6 | reference adj line WITH (tolerance) near2 (area or region or range) NOT S89 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 04:07 |
| S10 3 | 5 | reference adj line WITH (tolerance) WITH bound\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 05:30 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S11 | 97 | (adjacent or neighbor\$5) adj calipers | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:15 |
| S13 | 5 | (adjacent or neighbor\$5) adj calipers AND orthogonal | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 00:50 |
| S14 | 97 | (adjacent or neighbor\$5) adj calipers | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:19 |
| S15 | 3 | (adjacent or neighbor\$5) adj calipers AND (adhesive or glue) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:19 |
| S16 | 48 | (adjacent or neighbor\$5) adj calipers AND manufactur\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:22 |
| S17 | 11 | (adjacent or neighbor\$5) adj calipers AND (collinear\$3 or co-linear\$3 or colinear\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:23 |
| S18 | 22 | calipers SAME (collinear\$3 or co-linear\$3 or colinear\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:23 |
| S19 | 13 | calipers SAME hypothesis | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:24 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S20 | 13 | calipers SAME (hypothesis or hypotheses) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:29 |
| S27 | 7 | point-to-point WITH caliper | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/11 23:32 |
| S32 | 5 | edge-to-edge WITH caliper | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 00:52 |
| S33 | 79 | edge WITH point WITH caliper | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 00:52 |
| S34 | 4 | edge WITH reference adj point WITH caliper | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/12 00:54 |
| S40 | 97 | adjacent adj calipers | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 01:03 |
| S70 | 6 | 382/141 AND quality WITH external WITH control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:26 |
| S77 | 126 | quality WITH external WITH command NOT S70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:31 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S78 | 21 | quality WITH external WITH command WITH unit NOT S70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:33 |
| S81 | 224 | (382/141).cccls. AND (quality or parameter or criteria) AND external\$3 NOT S70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:35 |
| S82 | 68 | (382/141).cccls. AND (quality or parameter or criteria) AND external\$3 WITH (command or control\$3) NOT S70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:36 |
| S83 | 22 | (382/141).cccls. AND (quality or parameter or criteria) AND external\$3 near2 (command or control\$3) NOT S70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:36 |
| S85 | 18 | (382/141).cccls. AND (quality or parameter or criteria) WITH external\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:37 |
| S86 | 15 | (382/141).cccls. AND (quality or parameter or criteria) WITH external\$3 NOT S70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:40 |
| S88 | 2 | quality adj parameters WITH external WITH control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:42 |
| S90 | 29 | quality adj parameters WITH external\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:47 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S91 | 831 | quality WITH (sets or setting or set) WITH external\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:47 |
| S92 | 119 | quality WITH (sets or setting or set) WITH external\$3 WITH control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:47 |
| S93 | 24 | quality WITH (sets or setting or set) WITH external\$3 WITH control WITH unit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:51 |
| S94 | 120 | quality WITH external adj device WITH (control\$3 or sett\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:52 |
| S96 | 15 | quality near2 (parameters or criteria or standards) WITH external adj device | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/12 02:57 |